

PRODUCE:

ΤΟΜΑΤΟ

| ТҮРЕ | Grape | VARIETY | Yellow | |
|-----------------------------|-------|---------|--------|--|
| CLASS | One | NOTES | | |
| GENERAL APPEARANCE CRITERIA | | | | |

| GENERAL APPEARANCE CRI | | |
|---------------------------------|---|--|
| Colour | With receival colour as pre-ordered; generally >3/4 yellow colour | |
| Visual Appearance | With bright colour; calyx removed; seeds in clear pale gel. | |
| Sensory | Thin, smooth skin, firm, juicy and sweet tasting; no foreign smell or tastes. | |
| Shape | Oval to grape in shape. | |
| Size | 6 - 15 grams; 200g punnet. Fruit CLASSd to ensure a variance of >3 g per punnet. | |
| Maturity | Firm fruit, not excessively green (immature) or soft and dark red (overmature). | |
| MAJOR DEFECTS | | |
| Insects | With obvious live insects (eg insect larvae) | |
| Diseases | With fungal or bacterial rots (eg bacterial soft rot, Alternaria rot, grey mould, sour rot). With blotchy or mottled appearance due to viral infection. | |
| Physical/Pest Damage | With cuts, holes, splits, or insect damage that breaks the skin. With soft dark areas due to severe bruising. With softened flesh, pitted skin, or failure to develop normal colour (chilling injury) | |
| Temperature Injury | With soft skin or wrinkled appearance (dehydration) With bleached, flattened areas on the fruit skin (sunburn). With blotchy, orange toned skin (heat damage) | |
| Physiological Disorder | With softening or rot developing at the blossom end (calcium deficiency). With grey or brown areas in the internal flesh (grey wall / vascular browning). With circular or star shaped cracking around the stem attachment or blossom scar. | |
| MINOR DEFECTS | | |
| Skin Marks/Blemishes | With light scattered blemish, eg. rub marks, affecting in aggregate > 0.5 sq cm. With 'zipper' lines > half the fruit length and >1 mm width. | |
| Physiological Disorder | With internal grey discolouration affecting >0.5 sq cm of surface. With persistent green shoulders affecting >1 sq cm. | |
| CONSIGNMENT CRITERIA | | |
| Tolerance Per Consignment | Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%. | |
| Packaging & Labelling | Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container | |
| Shelf Life | Produce must provide not less than 14 days clear shelf life from date of receival. | |
| Receival Conditions | Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet as pre-ordered. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 10 - 15 ° C. | |
| Chemical & Containment Residues | All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply with the FSANZ Food Standards Code MRL's and ML's. | |
| Food Safety Requirements | Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third- party audit. A copy of current certification to be forwarded to receiver. | |
| | | |

*Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.